# 양측에 동시에 발생한 악하선염으로부터 유발된 Ludwig's Angina 1예

메리놀병원 이비인후과 박성원 · 김현수 · 권재환 · 조중환

## A Case of Ludwig's Angina Associated with Bilateral Submandibular Glands Infection

Seong Won Park, MD, Hyun Su Kim, MD, Jae Hwan Kwon, MD and Joong Hwan Cho, MD Department of Otorhinolaryngology-Head and Neck Surgery, Maryknoll General Hospital, Busan, Korea

#### -ABSTRACT -

We had a patient, 62-year-old female, with Ludwig's angina, who complained of swelling in the floor of the oral cavity and the tongue, at first visit. She had bilateral submandibular sialadenitis and sialosis of bilateral parotid glands. She complained dry mouth and mild respiratory difficulty besides swelling of bilateral submandibular areas. We used high dose antibiotics. A few days later, her symptoms much improved and she could go home. Based on her past history and laboratory results, this disease originated from bilateral submandibular sialadenitis, and then inflammatory changes processed onto superficial layer of deep cervical fascia. We report this rare case with a review of literature. (J Clinical Otolaryngol 2002;13:247-250)

KEY WORDS: Ludwig's angina · Sialadenitis.

가 М 론 Ludwig 's angina 가 (cellulitis) 1 - 3)5)13) (serosanguineous) (70%)Ludwig's angina 가 : 2002 30 8 : 2002 10 , 600 - 730 4가 례 12 : (051) 461 - 2205 -: (051) 461 - 0297 가 2 62 E - mail: seongwon4444@hanmail.net

가 , (streaky density) , (platysma muscle) , 가가 가 (sialosis) (Fig. 2).

(hard - board like)가 ,
(Fig. 1).
フト フト フト .
フト 16,700×10<sup>7</sup>/mm<sup>3</sup>
34 mm/hr, 3740 IU/L,
145 IU/L . 8 724
IU/L (Table 1).



Fig. 1. Facial photograph, made at third day from admission, shows swelling on bilateral cheeks and neck.

Table 1. Results of laboratory test

	On admission	After 8days		
WBC ( x 10 <sup>7</sup> /mm <sup>3</sup> )	16,700	6,400		
ESR (mm/hr)	34	11		
Amylase (IU/L)	3740	724		
Lipase (IU/L)	145	154		





Fig. 2. Axial enhanced neck CT imagings. A: There are enlargements and enhancements of bilateral submandibular glands. There are streaky density in the subcutaneous tissue of anterior neck and thickening of platysma muscle. B: Enlarged bilateral parotid glands without enhancement show sialosis.

:

	2		<b>Table 2.</b> Grodinsky's crite gina	eria for diagnosis of Ludwig's an-	
가	_	8	There is cellulitis, not an a submandibular space w		
	·		never involves only one space and usually in bilateral;		
1 가			<ol><li>produces gangrene with serosanguineous, putrid infiltration but very little of no frank pus;</li></ol>		
'			<ol><li>involves connective tissue, fascia, and muscles but not the glandular structures;</li></ol>		
	고 찰		4. is spread by continuity	and not by lymphatics.	
1836	Wilhelm	n von Ludwig가		가 <sup>13)</sup>	
	g 's angina rig 's angina		Ludwig 's angina		
			Ludwig 's angina		
	Ludwig	60%	가 .		
가	1)		Ludwig 's angina	, , , , , 10 - 13)	
	. 1)	1900	,		
	10%	2)3)	, (induration)	, 가 , , , ,	
Ludwig 's ang	gina		(cyanosis)		
			가	•	
	(facial plane) 가		가 가		
7)	70%가 가	13)	15)17)	(nasotr-	
(thyr	oglossal duct cyst)	,	acheal intubation)	·	
9)11 - 13)16)	,	Ludwig's an-	가		
gina		Ludwig 5 air-	Ludwig 's angina		
	p cervical fascia)	(superficial			
layer)	,				
가	. <sup>13)</sup> 1939	Grodinsky		가 가 .	
가 Ludw (glandular in (Table 2).	ig 's angina volvement)	4)	Ludwig 's angina	가	
,/-					

### 중심 단어: Ludwig's angina ·

#### REFERENCES

- Burke J. Angina ludovicii. A translation, together with biography of Wilhelm Frederick Von Ludwig. Bull Hist Med 1939;7:1115-6.
- Barakate MS, Jensen MJ, Hemli JM, Graham AR. Ludwig's angina: Report of a case and review of management issues. Ann Otol Rhinol Laryngol 2001;110:453-6.
- 3) Honrdo CP, Lam SM, Karen M. Bilateral submandibular gland infection presenting as Ludwig's angina: first report of a case. Ear Nose Throat J 2001:80(4):217-8, 222-3.
- 4) Grodinsky M, Holyoke E. The fasciae and fascial spaces of the head, neck, and adjacent regions. Am J Anat 1938;63: 367-407.
- 5) Lutcavage GJ, Schaberg SJ. Bilateral submandibular sialolithiasis and concurrent sialadenitis: A case report. J Oral Maxillofac Surg 1991;49:1220-2.
- Marple BF. Ludwig's angina: A review of current airway management. Arch Otolaryngol Head Neck Surg 1999;125: 596-9
- 7) Linder HH. The anatomy of the fasciae of the face and neck with particular reference to the spread and treatment of intraoral infections (Ludwig's)that have progressed into ad-

- jacent fascial spaces. Ann Surg 1986;204:705-14.
- 8) Busch RF, Shah D. Ludwig's angina: improved treatment. Otolaryngol Head Neck Surg 1997;117:S172-S175.
- 9) Ferrera PC, Busino LJ, Snyder HS. Uncomon complications of odontogenic infections. Am J Emerg Med 1996;14:317-22.
- 10) Patterson HC, Kelly JH, Strome M. Ludwig's angina: an update. Laryngoscope 1982;92:370-8.
- 11) Weisengreen HH. Ludwig's angina: Historical review and reflections. Ear Nose Throat J 1986;65:457-61.
- 12) Moreland LW, Corey J, McKenzie R. Ludwig's angina. Report of a case and review of the literature. Arch Intern Med 1988;148:461-6.
- 13) Lerner DN, Troost T. Submandibular sialadenitis presenting as Ludwig's angina. Ear Nose Throat J 1991;70:807-9.
- 14) Spitalnic SJ, Sucov A. Ludwig's angina: case report and review. J Emerg Med 1995;13:499-503.
- 15) Meyers BR, Fawson W, Hirschman SZ. Ludwig's angina: a case report, with review of bacteriology and current therapy. Am J Med 1972:53:257-60.
- 16) Iwu CO. Ludwig's angina: report of seven cases and review of current concepts in management. Br J Oral Maxillofac Surg 1990;28:189-93.
- 17) Holland CS. The management of Ludwig's angina. Br J Oral Surg 1975;13:153-9.